

U-Series ORU Housing

Achieve optimal network performance in a variety of data center and service provider applications with U-Series ORU Housing. Compatible with a wide range of U-Series cassettes and adapter plates, this modular connectivity solution enables outside-rack installation and can be used in a variety of positions and easily stacked for convenient modular add-ons. The ORU housing holds one U-Series cassette, accommodating up to 12 LC ports (24f) or 12 MPO ports.

Features

Deploy Outside the Rack

- Can be mounted anywhere outside the rack and stacked with additional U-Series ORU housings as needed

Front and Rear Loadable Cassettes

- Easily accessible and facilitates faster installation

Easy Moves, Adds, and Changes (MACs)

- Cassette can be locked in a parked or maintenance position for simplified patching

Applications

- Data Center
- Campus
- Central Office
- Office Backbone



Specifications

Unit Height	ORU
Capacity	1 U-Series Cassette Maximum fiber density of up to: LC: 12 ports (24 fibers) MPO: 12 ports (144 fibers)
Product Dimensions	Height: 88mm (3.5 inches) Width: 43mm (1.7 inches) Depth: 76mm (3 inches)
Package Dimensions	Height: 230mm (9 inches) Width: 210mm (8.3 inches) Depth: 55mm (2.2 inches)
Weight	Product weight: 145g Packaged weight: 150g
Materials	ABS, CR4 Steel, Aluminum
Materials compliant to	RoHS, Reach / SVHC, UL 94V-0
Regional Availability	Global

Ordering Information

Description	Part Number
AFL U-Series ORU Housing for 1 Cassette	FXUAXXBXXX-01ZZ